

Nawarla Gabarnmang, a 45,180±910 cal BP Site in Jawoyn Country, Southwest Arnhem Land Plateau

Bruno David¹, Jean-Michel Geneste², Ray L. Whear³, Jean-Jacques Delannoy⁴, Margaret Katherine³, R.G. Gunn⁵, Christopher Clarkson⁶, Hugues Plisson⁷, Preston Lee³, Fiona Petchey⁸, Cassandra Rowe¹, Bryce Barker⁹, Lara Lamb⁹, Wes Miller³, Stéphane Hoerlé⁴, Daniel James¹, Élisabeth Boche², Ken Aplin¹⁰, Ian J. McNiven¹, Thomas Richards¹, Andrew Fairbairn⁶ and Jacqueline Matthews⁶

Abstract

Recent excavations at Nawarla Gabarnmang in Jawoyn country, southwest Arnhem Land have produced a long sequence of AMS radiocarbon determinations on individual pieces of charcoal reliably associated with stone artefacts dating back to 45,180±910 cal BP. It represents one of the earliest radiocarbon-dated archaeological sites in Australia. Here we report on initial results.

Introduction

Old archaeological sites at or beyond the limits of reliable radiocarbon dating have typically been the subject of heated debate concerning the actual antiquity of their earliest cultural deposits. Questions have repeatedly been raised around two generic concerns: the reliability of the ages themselves; and/or the integrity of chronostratigraphic associations between archaeological materials, surrounding sediments and dated materials. Cases in point include Nauwalabila (60,300±6700 to 53,400±5400 BP, Roberts *et al.* 1994), Malakunanja II (61,000±8000 to 52,000±8000 BP, Roberts *et al.* 1990), Lake Mungo (50,000 to 46,000 BP, Bowler *et al.* 2003) and Devil's Lair (48,000 BP, Turney *et al.* 2001), although even more controversial claims have also been published (e.g. >116,000±12,000 BP for Jinnium, Fullagar *et al.* 1996). By definition, the less controversial sites tend to have slightly younger ages, and among the earliest include Riwi (41,300±1020 BP, Balme 2000) and Carpenter's Gap (39,700±1000 BP, O'Connor 1995), both dated by radiocarbon. Be that as it may, any site securely radiocarbon-




Figure 1 Nawarla Gabarnmang from the air (Photograph: Bruno David).

dated to more than 45,000 cal BP will be significant to securing progressively earlier ages for the origins of Aboriginal Australians. Here we report on one such site from Jawoyn country, western Arnhem Land.

Jawoyn Country

Jawoyn country contains vast numbers of ancestral sites. Many of these sites are located in extremely remote areas and the superb condition of these sites coupled with the presence of exclusively ancient art styles and absence of European contact period artefacts and European scenes in the rock art at many sites suggest that some sites may not have been occupied for many hundreds or even thousands of years. Other sites include known places of ceremony and areas connected to creation and Dreaming stories, as well as rock art sites with more recent depictions.

To date, 117 site complexes, 921 sites and >44,000 individual artworks have been recorded on the Jawoyn Association's GIS database (e.g. Gunn *et al.* 2010; Gunn and Whear 2008). Nawarla Gabarnmang is the first of four sites where excavation has been undertaken at the request of the Jawoyn Association; initial results are presented here.

Nawarla Gabarnmang

In June 2006, RLW and pilot Chris Morgan sighted an unusually large rockshelter during a routine aerial survey on the Arnhem Land plateau (Figure 1). They landed the helicopter and on walking into the open, double-ended shelter, found themselves in a stunning gallery with hundreds of rock paintings (Figure 2). Anthropological work with senior Elders Wamud Namok and Jimmy Kalarrriya enabled the Jawoyn to learn the name of the site – Nawarla Gabarnmang (*nawarla*=‘place of’, *gabarnmang*=‘hole in the rock’). The two men had visited the shelter when they were children, and been told it was an important site where people

¹ School of Geography and Environmental Science, Monash University, Clayton, VIC 3800, Australia bruno.david@monash.edu, cassandra.rowe@monash.edu, daniel.james@monash.edu, ian.mcniven@monash.edu, thomas.richards@monash.edu

² Centre National de Préhistoire, UMR 5199 CNRS PACEA, Université de Bordeaux 1, Talence, France jean-michel.geneste@culture.gouv.fr, elisa.boche@laposte.net

³ Jawoyn Association Aboriginal Corporation, PO Box 371, Katherine, NT 0851, Australia ray.whear@jawoyn.org, preston.lee@jawoyn.org, wes.miller@jawoyn.org

⁴ EDYTEM – UMR 5204 du CNRS – ‘Environnements, Dynamiques et Territoires de la Montagne’, Centre Interdisciplinaire Scientifique de la Montagne, Université de Savoie, F 73376 Le Bourget du Lac Cedex, France Jean-Jacques.Delannoy@univ-savoie.fr, stephane@rockart.wits.ac.za

⁵ 329 Mt Dryden Road, Lake Lonsdale, VIC 3381, Australia gunnb@activ8.net.au

⁶ School of Social Science, The University of Queensland, Brisbane, QLD 4072, Australia c.clarkson@uq.edu.au, a.fairbairn@uq.edu.au, jacqueline.matthews@uqconnect.edu.au

⁷ CNRS, UMR 5199 PACEA, Université de Bordeaux 1, Talence, France hugues.plisson@u-bordeaux1.fr

⁸ Radiocarbon Dating Laboratory, University of Waikato, Hamilton 3240, New Zealand fpetchey@waikato.ac.nz

⁹ Public Memory Research Centre, School of Humanities and Communication, University of Southern Queensland, Toowoomba, QLD 4350, Australia barker@usq.edu.au, lamb@usq.edu.au

¹⁰ Division of Mammals, Smithsonian Institution, PO Box 37012, MRC 108, Washington, DC 20013-7012, USA aplin.ken@gmail.com



Figure 2 View inside Nawarla Gabarnmang (Photograph: Jean-Jacques Delannoy).

camped en route to ceremonies on Jawoyn country. They also identified the Jawoyn clan Buyhmi as the relevant traditional owners of the site. When Buyhmi traditional owner and Elder Margaret Katherine was taken to the site, she cried out to her ancestors and wept for a place and family she had never known.

BD was emailed photographs of a series of sites which the Association wished to have test-excavated. Nawarla Gabarnmang was the first site selected because of its outstanding artwork and potentially largely undisturbed, stratified sediments. Nawarla Gabarnmang's ceiling consists of interleaved layers of sandstone and hard quartzite, each 10cm to 40cm thick. While poorly soluble, the compact bedrock has witnessed strong chemical alteration along fissure lines and between the individual rock strata, causing dissolution of large parts of the site (Quinif 2010). Over geologically long periods of time, the geochemical hollowing of the site has resulted in a grid-like matrix of ceiling-to-ground level cavities divided by remnant pillars. At floor level the cavities today contain accumulated aeolian sediments, anthropogenically and naturally exfoliated fragments of bedrock, and evidence of past camping activity, while the pillars and flat ceiling surfaces have been extensively painted and quarried for stone artefacts (Figure 2).

Initial archaeological excavations took place at Nawarla Gabarnmang in May 2010. Two 50cm x 50cm squares were excavated, strategically located in an area exhibiting little to no surface disturbance (Square A) and a more open area closer to the centre of the site (Square B). Rock art abounds near both of these squares. Both squares were excavated in arbitrary excavation units (XUs) following the stratigraphy where visible during excavation. Excavated sediments were dry-sieved through 2.1mm mesh, with all materials retained in the sieves bagged and freighted to Monash University where they were wet-sieved,

air-dried and sorted. Sediment samples of the <2.1mm fraction were collected from each XU of each square. Cultural items ≥ 2 cm length observed *in situ* and selected charcoal samples were plotted in three dimensions and individually bagged.

Square A was excavated in average 1.8cm-thick XUs and progressed to 66cm depth. Five Stratigraphic Units (SUs) were identified, with good chronostratigraphic integrity. Sediments consist of a matrix of aeolian sands and locally disintegrated sandstone and quartzite rocks incorporating a total 9.4kg of stone artefacts and 2.74kg of charcoal. The vast majority of stone artefacts (98% by weight) were made on quartzite or sandstone available in the cave; the extent of the internal quarrying process is highlighted by the fact that a quarter (25%) of the total 49.7kg of excavated sediment retained in the 2.1mm mesh consist of cultural materials, predominantly stone artefacts. Both the stone artefacts and non-artefactual rocks tended to lie subhorizontally in the ground, sealing underlying deposits and suggesting an absence of significant post-depositional turbation and good chronostratigraphic integrity, as also indicated by the sequence of 25 radiocarbon determinations (Table 1). An 'inversion' of radiocarbon dates occurs at the SU4/SU5 interface, but the two pieces of charcoal representing Wk-28128 (17,722 \pm 64 BP) and Wk-28620 (12,746 \pm 43 BP) came from 37.8cm and 38.5cm depth respectively (i.e. 7mm apart) and horizontally some 30cm apart, and do not thus constitute a problematic 'inversion'. The radiocarbon determinations from Square A show an absence of occupation dating to the Last Glacial Maximum in this part of the site (but not from other excavated squares).

Bedrock and basal cultural deposits were not reached across the square, as large, sharply slanting rock surfaces hampered excavation beyond XU36, where soft sediments were limited to a <5cm-wide fissure in the rock (Figure 3).




Figure 3 Nawarla Gabarnmang Square A, east section.

Charcoal and flaked stone artefacts were found in every XU (Table S1, supplementary information). Bone was only present in late Holocene contexts, as is typical of Arnhem Land archaeological sites generally (cf. Jones 1985), but preservation of the recovered material is superb and the assemblage will provide important new information on the late pre-European/early contact period vertebrate fauna of this poorly surveyed region. Burnt seeds are present throughout much of the deposit. The pollen sequence extends into Pleistocene levels and will be presented elsewhere. AMS radiocarbon determinations on individual pieces of charcoal have revealed a cultural sequence going back to 45,180±910 cal BP (combining the two statistically similar near-basal dates Wk-29205 and Wk-29207, $\chi^2_{1,0.05}=0.6<3.84$) and include a fragment of ground-edge axe securely dated by association with overlying and underlying charcoal to 35,400±410 cal BP (Geneste *et al.* 2010, in press). Radiocarbon results were calibrated using IntCal09 (Reimer *et al.* 2009) in OxCal v4.1.7 (Bronk Ramsey 2009).

Evidence for the age of the rock art comes from a number of directions. In Square A, a large ochre crayon with faceted surfaces and grinding striations of the same mulberry colour as a painted Dynamic figure located within 100m of the excavation square comes from XU26 at the SU4/SU5 interface (representing the old SU5 surface) and thus dates to sometime between 14,770–21,585 cal BP (covering the XU24–XU27 radiocarbon determinations for the SU4/SU5 interface, at 95% probability). Exfoliated painted rock is also present within excavated squares in other parts of the site. An extensive program of AMS

radiocarbon dating wasp nests and other carbon-bearing compounds located beneath and above paintings at Nawarla Gabarnmang and at numerous other sites within Jawoyn country, coupled with detailed geochemical investigations of rock surfaces, paintings and excavated pigments, are under way and promise to reveal significant details on the antiquity of the rock art in this part of Arnhem Land.

Conclusion

Initial results at Nawarla Gabarnmang have revealed secure evidence of people some 45,000 years ago. Ongoing excavations are aimed at tracking the >45,000 year old levels, dating the rock art and further investigating the site's geomorphology (including anthropogenic modifications to the ceiling and pillars). In tandem with the work at Nawarla Gabarnmang, investigations are also progressing at the nearby 'Genyornis site' complex (Gunn *et al.* 2011); on the geochemistry and radiocarbon dating of decorated rock surfaces; at sites with Dynamic and Yam paintings; on the pollen coring of swamps on the Arnhem Land plateau; and on a systematic recording and dating of the remarkably intact *galngbuy* site ARN58 associated with the major *wubar* totemic cycle.

Our major aim is to connect the excavated sequences with the rock art both at Nawarla Gabarnmang and beyond, following high resolution dating of each within individual sites and across the region. Results of individual studies will be presented in more detail as they become available.

Supplementary Information

Supplementary information for this article is available online at www.australianarchaeologicalassociation.com.au.

Acknowledgements

We thank the Jawoyn Association Aboriginal Corporation Committee, and Sybil Ranch for caring for us during research in Jawoyn country. Thanks to Lance Syme for assistance in the field, and Toby Wood and Kara Rasmanis (Monash University) for drafting Figure 3. BD thanks the Australian Research Council for grant LP110200927 and QEII Fellowship DP0877782.

References

- Balme J. 2000 Excavations revealing 40,000 years of occupation at Mimbi Caves, south central Kimberley, Western Australia. *Australian Archaeology* 51:1-5.
- Bowler, J., H. Johnston, J.M. Olley, J.R. Prescott, R.G. Roberts, W. Shawcross and N.A. Spooner 2003 New ages for human occupation and climatic change at Lake Mungo, Australia. *Nature* 421:837-840.
- Bronk Ramsey, C. 2009 Bayesian analysis of radiocarbon dates. *Radiocarbon* 51(1):337-360.
- Fullagar, R.L.K., D.M. Price and L.M. Head 1996 Early human occupation of northern Australia: Archaeology and thermoluminescence dating of Jinmium rockshelter, northern Australia. *Antiquity* 70:751-773.

Table 1 Radiocarbon determinations on charcoal from Nawarla Gabarnmang, Square A. * $\delta^{13}\text{C}$ value measured, but not reported. # sample from interface of stratigraphic units.

XU	SU	Depth (cm)	Lab. No.	$\delta^{13}\text{C}\text{‰}$ (± 0.2)	^{14}C Age (years BP)	Calibrated Age BP
1	1	0.3	Wk-28123	-24.7	250 \pm 30	320-280, 170-150 (68%)
						430-360, 330-270, 190-140, 20 to -10 (95%)
3	2	6.1	Wk-28614	-26.0	142 \pm 30	280-250, 230-170, 160-130, 120-70, 40-10 (68%)
						290-0 (95%)
5	3	8.3	Wk-28615	-23.0	1560 \pm 30	1520-1400 (68%)
						1530-1380 (95%)
6	3	6.7	Wk-28124	-24.6	2264 \pm 30	2350-2300, 2240-2180 (68%)
						2350-2290, 2260-2150 (95%)
8	3	13.0	Wk-28612	-26.2	2165 \pm 30	2310-2240, 2180-2170, 2160-2120 (68%)
						2310-2060 (95%)
9	3	14.7	Wk-30471	-24.6	3117 \pm 25	3380-3330 (68%)
						3395-3315, 3310-3260 (95%)
10	3	14.8	Wk-30470	-24.5	2491 \pm 25	2710-2680, 2640-2630, 2620-2610, 2600-2490 (68%)
						2720-2465 (95%)
11	3/4#	17.4	Wk-28611	-25.1	8616 \pm 34	9600-9530 (68%)
						9670-9520 (95%)
12	3/4#	19.9	Wk-28125	-26.4	8924 \pm 31	10,180-10,130, 10,070-10,010, 10,000-9940 (68%)
						10,200-10,110, 10,090-9910 (95%)
14	3/4#	21.8	Wk-28613	-25.3	9287 \pm 30	10,560-10,480, 10,470-10,420 (68%)
						10,580-10,380, 10,320-10,300 (95%)
16	4	23.0	Wk-28126	*	9670 \pm 34	11,190-11,090, 10,920-10,900 (68%)
						11,200-11,070, 10,960-10,860, 10,850-10,800 (95%)
18	4	25.2	Wk-28619	-27.1	11,907 \pm 40	13,840-13,710 (68%)
						13,910-13,610 (95%)
20	4	28.9	Wk-28622	-25.4	12,261 \pm 43	14,220-14,000 (68%)
						14,800-14,760, 14,550-13,920 (95%)
23	4	34.4	Wk-28617	-25.2	12,599 \pm 42	15,080-14,790, 14,750-14,660 (68%)
						15,200-14,520, 14,300-14,280 (95%)
24	4/5#	37.8	Wk-28128	-26.1	17,722 \pm 64	21,410-21,050 (68%)
						21,480-20,810, 20,700-20,560 (95%)
25	4/5#	38.5	Wk-28620	-25.2	12,746 \pm 43	15,240-14,940 (68%)
						15,570-14,870, 14,830-14,770 (95%)
27	4/5#	41.3	Wk-30468	-26.4	17,833 \pm 77	21,470-21,215 (68%)
						21,550-20,930 (95%)
27	4/5#	43.5	Wk-30469	-26.6	17,931 \pm 64	21,510-21,310 (68%)
						21,585-21,150 (95%)
28	5	46.5	Wk-28616	-23.7	30,615 \pm 309	36,120-36,020, 35,340-34,730 (68%)
						36,260-35,820, 35,640-34,620 (95%)
29	5	46.1	Wk-28130	-25.4	31,316 \pm 618	36,420-35,200 (68%)
						37,110-34,690 (95%)
31	5	51.2	Wk-28621	-24.2	30,761 \pm 314	36,170-35,960, 35,460-34,850 (68%)
						36,290-35,760, 35,710-34,720 (95%)
31	5	52.7	Wk-28131	-24.7	31,063 \pm 595	36,280-35,760, 35,740-35,070 (68%)
						36,710-34,650 (95%)
32	5	51.8-55.3	Wk-29205	*	41,680 \pm 1532	46,755-44,000 (68%)
						49,075-43,215 (95%)
33	5	55.3-57.4	Wk-29206	*	37,842 \pm 917	43,130-41,800 (68%)
						44,090-41,285 (95%)
34	5	57.4-60.4	Wk-29207	*	41,149 \pm 1426	46,050-43,665 (68%)
						48,400-42,855 (95%)

- Geneste, J.-M., B. David, H. Plisson, C. Clarkson, J.-J. Delannoy, F. Petchey and R. Whear 2010 Earliest evidence for ground-edge axes: 35,400±410 cal BP from Jawoyn country, Arnhem Land. *Australian Archaeology* 71:66-69.
- Geneste, J.-M., B. David, H. Plisson, J.-J. Delannoy and F. Petchey in press The origins of ground-edge axes: New findings from Nawarla Gabarnmang, Arnhem Land (Australia) and global implications for the evolution of fully modern humans. *Cambridge Archaeological Journal*.
- Gunn, R.G., L.C. Douglas and R.L. Whear 2011 What bird is that? Identifying a probable painting of *Genyornis newtoni* in western Arnhem Land. *Australian Archaeology* 73:1-12
- Gunn, R.G., C.L. Ogleby, D. Lee and R.L. Whear 2010 A method to visually rationalise superimposed pigment motifs. *Rock Art Research* 27(2):131-136.
- Gunn, R.G. and R.L. Whear 2008 A singular beeswax representation of Namarrkon, the Lightning Man, from western Arnhem Land. *Australian Aboriginal Studies* 2:54-69.
- Jones, R. (ed.) 1985 *Archaeological Research in Kakadu National Park*. Special Publication 13. Canberra: Australian National Parks and Wildlife Service.
- O'Connor, S. 1995 Carpenter's Gap Rockshelter 1: 40,000 years of Aboriginal occupation in the Napier Ranges, Kimberley, WA. *Australian Archaeology* 40:58-59.
- Quinif, Y. 2010 *Fantomes de Roche et Fantomisation: Essai sur un Nouveau Paradigme en Karstogénèse*. Karstologia Mémoires 18. Laboratoire EDYTEM, Université de Savoie, Le-Bourget-Du-Lac.
- Reimer, P., M. Baillie, E. Bard, A. Bayliss, J. Beck, P. Blackwell, C. Bronk Ramsey, C. Buck, G. Burr, R. Edwards, M. Friedrich, P. Grootes, T. Guilderson, I. Hajdas, T. Heaton, A. Hogg, K. Hughen, K. Kaiser, B. Kromer, F. McCormac, S. Manning, R. Reimer, D. Richards, J. Southon, S. Talamo, C. Turney, J. van der Plicht and C. Weyhenmeyer 2009 Intcal09 and Marine09 radiocarbon age calibration curves, 0-50,000 years cal BP. *Radiocarbon* 51:1111-1150.
- Roberts, R.G., R. Jones and M.A. Smith 1990 Thermoluminescence dating of a 50,000 year-old human occupation site in northern Australia. *Nature* 345:153-156.
- Roberts, R.G., R. Jones, N.A. Spooner, M.J. Head, A.S. Murray and M.A. Smith 1994 The human colonisation of Australia: Optical dates of 53,000 and 60,000 years bracket human arrival at Deaf Adder Gorge, Northern Territory. *Quaternary Science Reviews* 13:575-583.
- Turney, C.S.M., M. Bird, L.K. Fifield, R.G. Roberts, M. Smith, C.E. Dortch, R. Grün, E. Lawson, L.K. Ayliffe, G.H. Miller, J. Dortch and R.G. Cresswell 2001 Early human occupation at Devil's Lair, southwestern Australia, 50,000 years ago. *Quaternary Research* 55:3-13.